

# MSDS SENSIT-EYE

<b>Identification of the substance/preparation and of the company/undertaking Identification of the substance or preparation</b>	<b>Trade name:</b> Sensit-Eye
<b>Use of the substance/preparation Adhesives Company/undertaking identification Address</b>	Temptation Lashes, 69 Beechwood unit 202, Ottawa, ON, K1M-1L8
	Telephone no. (1) 613-415-7125 2. Email: <a href="mailto:sales@temptationlashes.com">sales@temptationlashes.com</a>
<b>Hazards identification Information pertaining specific risk for human / environment</b>	Although this product is not subject to reporting requirements for hazardous products, we recommend compliance with the safety recommendations.
<b>Chemical characterization</b>	Adhesive based on cyanoacrylates. Additional ingredients 2-ethoxyethyl 2-cyanoacrylate EC no. 244-692-4 Index no. - CAS no. 21982-43-4 Concentration > 25 %-b.w.
<b>First aid measures</b>	<b>After inhalation:</b> Ensure supply of fresh air. In the event of symptoms take medical treatment. <b>After skin contact:</b> In case of contact with skin wash off immediately with soap and water. <b>After eye contact:</b> In case of contact with eyes rinse thoroughly with plenty of water. If symptoms persist, seek medical advice. <b>After ingestion</b> Summon a doctor immediately. Advice to doctor Symptoms Shortness of breath Treatment In case of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.
<b>Fire-fighting measures</b>	Suitable extinguishing media Foam; extinguishing powder; Alcohol-resistant foam; Carbon dioxide; Water spray jet Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases. Fire gas of organic material must be classed invariably as respiratory poison. In the event of fire, the following can be released: Carbon dioxide (CO2) Nitrogen oxides (NOx) Special protective equipment for fire-fighters Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

<p><b>Accidental release measures</b></p>	<p><b>Personal precautions:</b> Ensure adequate ventilation. <b>Environmental precautions:</b> Do not allow to enter drains or waterways.  Methods for cleaning up/taking up Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).</p>
<p><b>Handling and storage</b></p>	<p>Provide good ventilation of working area for example: local exhaust ventilation, if necessary. Open and handle container with care. Advice on protection against fire and explosion Keep away from sources of ignition - refrain from smoking. Classification of fires B Storage Requirements for storage rooms and vessels Keep in original packaging, tightly closed. Advice on storage assembly Do not store with alkalis.</p>
<p><b>Exposure controls / personal protection</b></p>	<p><b>Exposure limit values: NONE. Respiratory protection:</b> If ventilation insufficient, use a respiratory protection apparatus. Short term: filter apparatus, Filter B Hand protection. In case of intensive contact, wear protective gloves. Sufficient protection is given wearing suitable protective gloves in the event of risk of skin contact with the product. Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.  <b>Appropriate Material:</b> Synthetic rubber Eye protection, Safety glasses, Skin protection, Light protective clothing. <b>General protective and hygiene measures:</b> Avoid contact with eyes and skin. At work do not eat, drink, smoke or take drugs. Wash hands before breaks and after work. use barrier skin cream.</p>
<p><b>Physical and chemical properties</b></p>	<p><b>General information:</b> <i>Form</i> liquid, <i>Colour</i> Various, depending on coloration, <i>Odour</i> characteristic. Important health, safety and environmental information. Changes in physical state Type Boiling point Value &gt; 200 °C Flash point Value 87 °C Method DIN 51758 Density Value 1,05 - 1,09 g/cm<sup>3</sup> Reference temperature 20 °C Viscosity Type dynamic Value 2 - 3000 mPa*s Reference</p>

	temperature 25 °C Solubility in water Remarks essentially insoluble
<b>Stability and reactivity</b>	Materials to avoid Reactions with oxidising agents. Reactions with water. Reactions with alkalis. Reactions with amines. Hazardous decomposition products: No hazardous decomposition products known. Other information: Polymerization under development of heat.
<b>Toxicological information</b>	Experience in practice: Sensitisation possible through inhalation. Irritates the mucous membrane. Irritates the eyes and the skin.
<b>Ecological Information</b>	Other adverse effects Do not discharge product unmonitored into the environment.
<b>Disposal considerations</b>	Product Remove in accordance with local official regulations. Allocation of a waste code number, according to the North American and European regulations, should be carried out in agreement with the regional waste disposal company. Packaging that cannot be cleaned should be disposed off as product waste. Carefully polymerize content with water or alkali.
<b>Transport information</b>	Other information. No hazardous material as defined by the transport regulations
<b>Regulatory information</b>	Labelling in accordance with EC and North American directives. The product does not require a hazard warning label in accordance with EC Directives, however for North American standards a warning notice has been added. Special labelling for certain preparations Cyanoacrylate! Danger! Sticks skin and eyelids in seconds. Keep out of reach of children.